

المراجع

أولاً: المراجع العربية:

- أحمد شوقي زهران، وجابر زايد بريشة (2004): الإنزيمات الميكروبية وتطبيقاتها في الصناعة والطب، مطابع جامعة الملك سعود، الرياض.
- جابر زايد بريشة، وعادل محمود حماد (2002): أساسيات الميكروبيولوجيا الصناعية، الدار العربية للنشر والتوزيع، القاهرة.
- جهاز شئون البيئة - جمهورية مصر العربية (1992): خطة العمل البيئي في مصر، جهاز شئون البيئة - مجلس الوزراء - القاهرة - مصر.
- جهاز شئون البيئة - جمهورية مصر العربية (1997): تقرير الوضع البيئي في مصر لعام 1996، وزارة الدولة لشئون البيئة - القاهرة - مصر.
- حسين المكاوي، محمد زكي، مجدي دياب (1996): تلوث البيئة المصرية بالمبيدات الحشرية، المركز القومي للبحوث الاجتماعية والجنائية - القاهرة - مصر.
- زيدان هندي عبد الحميد، محمد إبراهيم عبد المجيد (1977): الملوثات الكيميائية والبيئية، كلية الزراعة - جامعة عين شمس - مصر.
- سامي غرايبه، يحيى الفرحان (1993): المدخل إلى العلوم البيئية، دار الشروق للنشر والتوزيع - عمان - الأردن.
- سمير عبد الوهاب أبو الروس، آسيا أحمد الفلكي (2005): تلوث الأراضي والمياه: المصادر - الأخطار - أساليب العلاج، برنامج التعليم المفتوح بجامعة القاهرة - الجيزة - مصر.
- سمير عبد الوهاب أبو الروس، محمد أحمد شريف (1995): الزراعة وإنتاج الغذاء بدون تربة - تنقية مياه المجاري وإعادة استخدامها في الزراعة (362-366)، دار النشر للجامعات - القاهرة - مصر.

- عادل محمود حماد، وجابر زايد بريشة (2005): الميكروبيولوجيا الزراعية، مطابع جامعة المنيا، المنيا.
- عبد الهادي حسن (2001): حماية البيئة: التلوث بالمبيدات الكيماوية وأفضل الحلول، دار علاء الدين للنشر والتوزيع والترجمة - دمشق - سوريا.
- فتحي محمد مصيلحي (2008): الجغرافيا الصحية والطبية، دار الماجد للنشر والتوزيع، القاهرة.
- محمد أحمد شريف، هشام عمر شريف (1997): معالجة مياه الصرف الصحي باستخدام النباتات النامية في الأراضي الرطبة في محافظة الوادي الجديد، صندوق الاستشارات والدراسات والبحوث الفنية والتكنولوجية - وزارة الدولة لشئون البحث العلمي والتكنولوجيا - القاهرة - مصر.
- محمد أحمد شريف، محمد عاطف كشك (2011): التحليلات المعملية للتربة والمياه والمواد النباتية، دار النشر للجامعات - القاهرة - مصر.
- محمد عبد القادر الفقي (2006): البيئة مشاكلها وقضاياها وحمايتها من التلوث، الهيئة المصرية العامة للكتاب، القاهرة.
- منظمة الأغذية والزراعة للأمم المتحدة (2000): دليل استعمال المياه العادمة في الري - منظمة الأغذية والزراعة للأمم المتحدة - المكتب الإقليمي للشرق الأدنى - القاهرة - مصر.
- وزارة الإسكان والمرافق والمجتمعات العمرانية بجمهورية مصر العربية (2000): اللائحة التنفيذية للقانون (93) لسنة 1962 في شأن صرف المخلفات السائلة وتعديلاته، والقرار الوزاري رقم (44) لسنة (2000): القاهرة - مصر.

ثانياً: المراجع الأجنبية:

- Abdel Hakim, S. G. (2010): Treatment of sewage effluent using constructed wetland. M.Sc. Thesis, Fac. Agric., Cairo Univ., Cairo, Egypt.
- Ahmed, S. M. (1999): Biochemical studies on wastewater. Ph.D. Thesis, Fac. Agric., Cairo Univ., Cairo, Egypt.

- Aiyuk S, amoka J, Raskin L, Van Haandel A, Verstraete W (2004): Removal of carbon and nutrients from domestic wastewater using a low investment, integrated treatment concept. *Water res* 38:303-3042.
- Alexander, M. (1999): *Biodegradation and Bioremediation*. Academic Press, London.
- Aslan V, Miller L, Dahab M (2009): Ammonium oxidation via nitrite accumulation under limited oxygen concentration in sequencing batch reactors. *Boiresour Technol* 100:659-664.
- Ayers, R. S. (1977): Water quality for irrigation. *J. Irrig. Drain. Div., ASCE*: 135-154.
- BaDawy MI, Wahaab RA, El-Kalliny AS. (2009): Fenton-biological treatment processes for the the removal of some pharmaceuticals from industrial wastewater. *J Hazard Mater* 2009;167:567-574.
- Berisha, G. and Winter, J. (2010): Bio-removal of nitrogen from wastewaters-A Review, *Journal of American Science*, <http://www.americanience.org>, 6: (2010) 508-528.
- Bhamidimarri, R; Shilton, A.; Armstrong, I.; Jacobsen, P.; Scarlet, D. (1991): Constructed wetlands for wastewater treatment: the New Zealand experience.. *Water Science Technology* 24: 247–253.
- Bowmer, K.H. (1987): Nutrient removal from effluents by an artificial wetland: influence of rhizosphere aeration and preferential flow studied using bromide and dye tracers. *Water Research*: pp. 591–599.
- Breen, P.F. (1990): A mass balance method for assessing the potential of artificial wetlands for wastewater treatment. *Water Research* 24: 689–697.
- Brinson, M. (1993): *A Hydrogeomorphic Classification of Wetlands*
- Brix, H. (1994): Use of constructed wetlands in water pollution control: Historical development, present status, and future perspectives. *Water Science & Technology* 30 (8): 209 – 223.
- Brooks, R. R. (ed.) (2000): *Plants that Hyper accumulate Heavy Metals*. CABI, New York.
- Burgoon, P.S.; Reddy, K.R.; DeBusk, T.A. (1989): Domestic wastewater treatment using emergent plants cultured in gravel and plastic substrates. In *Hammer* 1989, pp. 536–541.

- Burgoon, P.S.; Reddy, K.R.; DeBusk, T.A. (1991): Vegetated submerged beds with artificial substrates II: N and P removal. *Journal of Environmental Engineering* 117 (4): 408–422.
- Butler, J.F.; R.F. Loveridge and D.A. Bone (1988): The use of hydroponics for sewage treatment in temperate and tropical. 7th International Congress on Soilless Culture, 103-115.
- Chapman, H. D. (1966): *Diagnostic Criteria for Plants and Soils*. University of California, Division of Agricultural Sciences.
- Cole, S. (1998): "The emergence of treatment wetlands" (Scholar search): *Environmental Science & Technology* 32 (9): 218–223.
- Cruazon, B. (2007): history of anaerobic digestion, web.pdx.edu, retrieved 17.08.07.
- Daniel Lm, pozza E, foresti E, Fabio Alexandre Chinalia A (2009): Removal of ammonium via simultaneous nitrification-denitrification nitrite-shortcut in a single packed-bed batch reactor. *Bioresour Technol* 1100-1107.
- Davies, T.H. and Hart, B.T. (1990): Use of aeration to promote nitrification in reed beds treating wastewater. *Advanced Water Pollution Control* 11: 77–84.
- Doelle, H.W. (2001): *Biotechnology and Human Development in Developing Countries*, www.ejbiotechnology.info, retrieved 19.08.07.
- Dugan, Patrick (editor) (1993): *Wetlands in Danger*, World Conservation Atlas Series
- FAO (1985): *Water quality for agriculture*. FAO Irrigation and drainage paper 29, Rome.
- FAO (2000): *Users Manual for Irrigation with Treated waste water*. FAO Regional Office, Cairo, Egypt.
- FAO / WHO (1976): *List of Maximum Levels Recommended for Contaminants*. Joint FAO/WHO Food standard programme. CAC/FAL 3-1976, FAO, Rome.
- Ferguson, t.& mah, R. (2006): Methanogenic bacteria in Anaerobic digestion of biomass, p49.
- Finlayson, M.C. and Chick, A.J. (1983): Testing the significance of aquatic plants to treat abattoir effluent. *Water Research* 17: 15–422.

- Fredrikson, Leigh H. (1983) "Wetlands: A Vanishing Resource" Yearbook of Agriculture
- Friends of the Earth (2004.) Anaerobic digestion paper, www.foe.co.uk, retrieved 17.08.7.
- Gaber Z. Breisha and Josef Winter (1998): Removal of organic pollutants and of nitrate from wastewater from dairy industry by denitrification. *Appl microbial Biotechnol* 49:469-474.
- Gaber Z. Breisha and Josef Winter (2000): Inhibition of methane production from Whey by heavy metals-protective effect of sulfide. *Journal of Applied Microbiology & Biotechnology*, 53:726-731.
- Gaber Z. Breisha and Josef Winter (2010): Bio-removal of nitrogen from wastewater-A review. *Journal of American science* 6:508-528.
- Gelt, Joe (1997): Constructed Wetlands: Using Human Ingenuity, Natural Processes to Treat Water. Build Habitat. *Arroyo*,9(4):<http://ag.arizona.edu/AZWATER/arroyo/094wet.html>.
- Ghabo, A. A. (2007): Wetlands Characterization; Use by Local Communities and Role in Supporting Biodiversity in the Semiarid Ijara District, Kenya. *Terra Nuova East Africa. Wetlands in drylands.*
- Gheysari M, Miratifi SM, Homaei M, Esmaeil Asadi m, Gerrit Hoogenboom G (2009): Nitrate leaching in a silage maize field under different irrigation and nitrogen fertilizer rates *Agric Water manag* 96:946-945.
- Good, R.E.; Whigham, D.F. and Simpson, R.L., eds (1978): *Freshwater wetlands, ecological processes and management potential.* New York: Academic Press.
- Greenway, M. and Woolley, A. (1999): Constructed wetlands in Queensland: Performance efficiency and nutrient bioaccumulation. *Ecological Engineering*, 12(1-2): 39-55.
- Guntensbergen, G.R.; Stearns, F. and Kadlec, J.A. (1989): Wetland vegetation. In Hammer 1989, pp. 73–88.
- Guo JH, peng YZ, Wang SY, Zheng Yn, Huang HJ, Ge SJ (2009): Effective and robust partial nitrification to nitrite by real-time aeration duration control in an SBR treating domestic wastewater. *Process Biochem* 44:797-985.

- Hammer, D.A. (1992): Creating freshwater wetlands Lewis Publishers. Chelsea, MI.
- Hammer, D.A. (1992): Designing constructed wetlands systems to treat agricultural nonpoint source pollution. *Ecological Engineering*, 1(1-2): 49-82.
- Hammer, D.A., ed (1989): Constructed wetlands for wastewater treatment. Chelsea, Michigan: Lewis publishers.
- Hammer, D.A.; and Bastion, R.K. (1989): Wetlands ecosystems: Natural water purifiers?. In Hammer 1989, pp. 5–20.
- Humanik, F. et al (2007): Anaerobic digestion of animal manure, www.ept.gov, retrived 17.08.07.
- Jenssen, P.D.; Maehlum, T.; Zhu, T. and Warner, W.S. (1992): Cold-climate constructed wetlands. Aas, Norway: Jordforsk Centre for Soil and Environmental Research, N-1432.
- Kadlec, R.H. (1989): Hydrologic factors in wetland water treatment. In Hammer 1989, pp. 21– 40.
- Kadlec, R.H. and Knight, R.L. (1996): Manual: Constructed Wetlands Treatment of municipal Wastewaters. DIANE Publishing, Amazon,
- Kadlec, R.H. and Wallace, S. (2009): Treatment Wetlands. second edition.
- Kivaisi, A.K. (2001): The potential for constructed wetlands for wastewater treatment and reuse in developing countries: a review. *Ecological Engineering*, 16(4): 545-560.
- Liu C, Yamamoto T, Nishiyama T, Fujii T, Furukawa K (2009): Effect if salt concentration in anammox treatment using non woven biomass carrier. *J Biosci Bioeng* 107:519-523.
- Loveridge, R.F. and J.F.; Butler (1992): Sewage effluent, a hydroponics nutrient solution for crop. 8th International Congress on Soilless Culture, 209-221.
- Ma WL, Zhang Y Qi R, Wang, V, Liang, C Z, Yang M (2009): Performance of a successive hydrolysis, denitrification and nitrification system for simultanesus removal of COD and nitrogen from terramycin production wastewater. *Biochem Eng J* 45:30-34.

- Ma Y, peng Y, Wang S, Yuan Z Wang X (2009): Achieving nitrogen removal Via nitrite in a pilot-scale continuous pre-denitrification plant. *Water Res* 43:563-572.
- Mann, R.A. (1990): Phosphorus removal by constructed wetlands: substratum adsorption. *Advanced Water Pollution Control* 11 h.
- Mara, D. (1974): *Bacteriology for Sanitary Engineers*, Churchill livingston. Edinburgh.
- Masi, F. and Martinuzzi, N. (2007): Constructed wetlands for the Mediterranean countries: hybrid systems for water reuse and sustainable sanitation. *Desalination*, 215: 44-55.
- Mitsch, W.J., J.G. Gosselink, C.J. Anderson, and L. Zhang. (2009): "Wetland Ecosystems". John Wiley & Sons, Inc., New York, 295 pp.
- Molinuevo B, Garcia MC, Karakashev D, Angelidaki I (2009): Anammox for ammonia removal from pig manure effluents: Effect of organic matter content on process performance. *Bioresour Technol* 100:2171-2175
- Nichols, D.S. and Boelter, D.H. (1982): Treatment of secondary sewage with a peat-sand filter bed. *Journal Environmental Quality* 11 (1):
- Niering, W.A. (1988): *Wetlands: Audubon society nature guide..* Toronto: Random House of Canada Limited.
- Park JBK, Craggs RJ, Sukias JPS (2009): Removal of nitrate and phosphorus from hydroponic wastewater using a hybrid denitrification filter (HDF): *Bioresour technol* 100:3175-3179.
- Park S, Bae W (2009): Modeling kinetics of ammonium oxidation and nitrite oxidation under simultaneous inhibition by free ammonia and free nitrous acid. *Process Biochem* 44:631-640.
- Patrick, W.H. and Reddy, K.R. (1976): Nitrification-denitrification in flooded soils and water bottoms: dependence on oxygen supply and ammonium diffusion. *Journal of Environmental Quality* 5.
- Reed, S.C. (1986): *Wetlands as effluent treatment systems*. Tech Press (Halifax, N.S): 207–219.
- Reed, S.C. (1991): *Constructed Wetlands for Wastewater Treatment*. *BioCycle* (January): 44–49.
- Reed, S.C. (1995): *Natural systems for waste management and treatment*. McGraw Hill, Inc.

- Reed, S.C.; Brown, D. (1995): Subsurface flow wetlands-a performance evaluation. *Water Environmental Research* 67: 244–248.
- Rene Er, Kim SJ, park HS (2008): Effect of COD/N ratio and salinity on the performance of sequencing batch reactors. *Bioresour technol* 99:839-846.
- Rogers, K.H.; Breen, P.F. and Chick, A.J. (1991): Nitrogen removal in experimental wetland treatment systems: evidence for the role of aquatic plants. *Research Journal Water Political Control Fed* 63: 934–941.
- Rolf E and George T. (1979): *Wastewater Engineering Disposal reuse*. Second Edition, Metcalf & Eddy, Inc., New York.
- Ross, S. M. (1994): *Toxic Metals in Soil – Plant systems*. John Wiley & Sons Ltd.
- Sah, R.N. and Mikkelson, D. (1986): Transformations of inorganic phosphorus during the flooding and draining cycles of soil. *American Journal Soil Science* 50: 62–67.
- Salt, D. E., Smith, R. D. and Raskin, I. (1988): Phytoremediation. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 49: 643-648.
- Schroeder, E. (1977): *Water and wastewater treatment*. McGraw Hill. New York.
- Schroeder, E. End tchobanoglous, G. (1976): Mass transfer limitation on trickling filter design, *J Water Pollut. Control Fed.* 48. no 4.
- Shen J, He R, Han W, sun X, Li J , wang L (2009): Biological denitrification of high-nitrate wastewater in a modified anoxic/oxic-membrane bioreactor (A/O-MBR): *J Haz Mater* 172:595-600.
- Smith, I.; Bis, G.N.; Lemon, E.R. and Rozema, L.R. (1997): A thermal analysis of a vertical flow constructed wetland. *Water Science Technology* 35: 55–62.
- Smith, S. R. (1996): *Agricultural Recycling of Sewage Sludge and the Environment*. CAB Intern. Wallingford, UK.
- Song Y.C Kwon, S.J., Woo, J.H. (2004): Mesophilic and therperature co-phase anaerobic digestion compared with single-stage mesophilic-

- and thermophilic digestion of sewage sludge, *Water Res.*38:1653-62.
- Tan TW, Ng Hy (2008): Influence of mixed liquor recycle ratio and dissolved oxygen on performance of pre-denitrification submerged membrane bioreactors. *Water Res* 42:1122-1132.
 - Tanner, C. C.; Clayton, J. S. and Upsdell, M.P. (199): Effect of loading rate and planting on treatment of dairy farm wastewater's in constructed wetlands-II removal of nitrogen phosphorus. *Water Research* 29: 27–34.
 - Thut, N.R. (1989): Utilisation of artificial marshes for treatment of pulp mill effluents. In Hammer 1989, pp. 239–251.
 - U.S. Department of Energy Environmental Management - "Department of Energy Five Year Plan FY 2007-FY 2011 Volume II." Retrieved 8 April 2007.
 - UK- Statutory Instrument (1989): The sludge (Use in Agriculture) Regulations 1989. Statutory Instrument No. 1263. HMSO, London.
 - US Environmental Protection Agency, US-EPA (1976): Quality Criteria for Water. US-EPA, Washington, DC.
 - US Environmental protection agency, US-EPA (1988): Design manual: constructed wetlands and aquatic plant systems for municipal wastewater treatment EPA/625/1- 88/022.
 - US Environmental Protection Agency, US-EPA (1993): Part 503 – standards for the use or disposal of sewage sludge. *Federal Register* 58, 9387-9404.
 - US Public Health Service, US-PHS (1962): Drinking water standards. US Dept. Health, Education, and Welfare, Washington, DC.
 - vanderWiel, D.P., Pruski and T.S King (1999): 'A Kinetic study of the Adsorption and Silver-Ruthenium Bimeallic Catalysts during the Hydrogenation of Carbon Monoxide', *Journal of Catalysis*, 188-202.
 - Vázquez-padin J, Ferández I, Figueroa M, Mosquera-Corral A, Campos J, Méndez R (2009): Application of Anammox based processes to treat anaerobic digester supernatant at room temperature. *Bioresour tehnol* 100:2988-2994.

- W.H. MacKenzie and J.R. Moran (2004): "Wetlands of British Columbia: A Guide to Identification. Ministry of Forests, Land Management Handbook 52
- Walters E, Hille A, He M, Ochman C, Horn H (2009): Simultaneous nitrification/denitrification in a bio film airlift suspension (BAS) reactor with biodegradable carrier material Water Res. 43:4461-446
- Wan D, Liu H, Qu J, Lei P, Xiao S, Hou Y (2009): using the combined bioelectrochemical and sulfur autotrophic denitrification system for groundwater denitrification. Bioresour Technol 100:2223-2227.
- Watson, J.T.; Reed, S.C.; Kadlec, R.H.; Knight, R.L.; Whitehouse, A.E. (1989): Performance expectations and loading rates for constructed wetlands. In Hammer 1989, pp. 319–353.
- WHO, World Health Organization (1973): Group Experts. " Reuse of Effluents": Methods of waste water treatment and Health safeguards. Technical Report Series No. 517, Geneva.
- WHO, World Health Organization (1989): Health Guidelines for the Use of Waste Water in Agriculture and Aquaculture. Technical Report series No. 778, WHO, Geneva.
- WHO, World Health organization, (1984): Guidelines for drinking water quality. Vol.1- Recommendation. WHO, Geneva.
- Yan Y, Hu YY(2009): Partial nitrification to nitrite to for treating ammonium-rich organic wasterwater by immobilized biomass system. Bioresours technol 100:2341-2347.
- Yaron, B., Calvet, R. and Prost, R. (1996): Soil Pollution – Processes and Dynamics. Springer, Berlin.
- Yetilmezsoy K, Sapci-Zengin S (2009): Recovery of ammonium nitrogen from the effluent of UASB treating poultry manure wastewater by MAP precipitation as a slow release fertilizer.
- Zpanc, C., A. Hornung, O. Hinrichse and M. Muhler (2002): 'The Interaction of Hygrogen with Ru/MgO Catalysts', Journal of Catalysis, vol. 209, 501-514.