

Praise to "Allah", the Most Gracious and the Most Merciful Who Guides Us to the Right Way.

I would like to express my endless gratitude and appreciation to **Prof. Dr. Maha Abdel Hamid Ghanem,** Professor of Forensic Medicine, and Clinical Toxicology, Faculty of medicine, University of Alexandria for giving me the honor of working under her supervision and providing me with a lot of encouragement and support.

My special thanks and deep gratitude to **Prof.Dr. Aida Mohey Mohamed**, Professor of Community Medicine and public health, Faculty of medicine, University of Alexandria, for her generous assistance and valuable guidance and unfailing efforts during the whole period of the study.

This work would have never been completed without the great help, close supervision offered by Assist. Prof. Dr. Naglaa Hassan, Assistant Professor of Forensic Medicine, and Clinical Toxicology,, Faculty of medicine, University of Alexandria,

I'm also thankful to all staff members and to my colleagues in the Emergency Department for their help.

I'm also thankful to all patients were included in the study for their participation and great help.



LIST OF CONTENTS

Chap	oter	Page
ACKN	NOWLEDGMENT	i
LIST	OF CONTENTS	ii
LIST	OF TABLES	iii
LIST	OF FIGURES	iv
LIST	OF ABBREVIATIONS	vi
I.	INTRODUCTION	1
II.	AIM OF THE WORK	35
III.	SUBJECTS	36
IV.	METHODS	37
V.	RESULTS	40
VI.	DISCUSSION	72
VII.	SUMMARY	80
VIII.	CONCLUSIONS	82
IX.	RECOMMENDATIONS	83
X.	REFERENCES	84
	PROTOCOL	
	ARABIC SUMMARY	

LIST OF TABLES

Table		Page
I.	Physical and chemical properties of ethanol	1
II.	Physical and chemical properties of methanol	2
III.	Alcohol-Drug Interactions	17
IV.	physical and behavioral changes in relation to alcohol level: Blood Alcohol Level Chart	22
V.	Ability of drinking alcohol in relation to sex	23
VI.	Blood alcohol concentrations (BAC) in different countries	24
VII.	Distribution of the studied cases according to demographic data.	41
VIII.	Distribution of the studied cases according to conscious level and their grading according to GCS	45
IX.	Distribution of the studied cases according to clinical signs	46
Χ.	Distribution of the studied cases according to grading of toxicity	48
XI.	Distribution of the studied cases according to heart rate and blood pressure (n=69)	49
XII.	Distribution of the studied cases according to time laps	51
XIII.	Distribution of the studied cases according to way of referral and transportation	52
XIV.	Distribution of the studied cases according to medical care parameters	54
XV.	Distribution of the studied cases according to risk of HF and Infarction.	54
XVI.	Distribution of the studied cases according to admission to hospital (n=69)	56
XVII.	Distribution of the studied cases according to investigations	58
XVIII.	Distribution of the studied cases according to ECG changes (n=69).	63
XIX.	Distribution of the studied cases according to CT brain (n=69)	65
XX.	Distribution of the studied cases according to smoking	66
XXI.	Distribution of the studied cases according to co – administration	67
XXII.	Distribution of the studied cases according to outcome (n=69)	69
XXIII.	Distribution of the studied cases according to management (1st aid)	71

LIST OF FIGURES

Figure		page
(1)	Distribution of the studied cases according to sex	42
(2)	Distribution of the studied cases according to age	42
(3)	Distribution of the studied cases according to marital status	43
(4)	Distribution of the studied cases according to education	43
(5)	Distribution of the studied cases according to occupation	44
(6)	Distribution of the studied cases according to residence	44
(7)	Distribution of the studied cases according to GCS	45
(8)	Distribution of the studied cases according to clinical signs	47
(9)	Distribution of the studied cases according to grading of toxicity	48
(10)	Distribution of the studied cases according to heart rate	50
(11)	Distribution of the studied cases according to blood pressure	50
(12)	Distribution of the studied cases according to time laps since seeing a physician	51
(13)	Distribution of the studied cases according to way of referral and transportation	52
(14)	Distribution of the studied cases according to primary medical care parameters	55
(15)	Distribution of the studied cases according to risk of HF and infarction	55
(16)	Distribution of the studied cases according to hospital admission	56
(17)	Distribution of the studied cases according to blood glucose level mg/dl	59
(18)	Distribution of the studied cases according to PH	59
(19)	Distribution of the studied cases according to HCO3 (meq/l)	60
(20)	Distribution of the studied cases according to PCO2	60
(21)	Distribution of the studied cases according to PO2	61
(22)	Distribution of the studied cases according to sodium	61
(23)	Distribution of the studied cases according to potassium	62
(24)	Distribution of the studied cases according to ECG changes	64
(25)	Distribution of the studied cases according to CT brain	65

]	Figure		page
	(26)	Distribution of the studied cases according to smoking	66
	(27)	Distribution of the studied cases according to co – administration.	67
	(28)	Distribution of the studied cases according to outcome.	70
	(29)	Distribution of the studied cases according to complications.	70
	(30)	Distribution of the studied cases according to management (1st aid).	71

LIST OF ABBREVIATION

ABG : Arterial blood gasesABV : Alcohol blood volume

ACD : Alcoholic cerbellar degeneration

ADH : Alcohol dehydrogenase

AMI : Acute myocardial infraction

AMUH : Alexandria Main University Hospital

AODs : Alcohol or other drugs

ARDS : Adult respiratory distress syndrome

BAC: Blood alcohol concentration

BG : Blood glucose level

CHD : Congestive heart diseaseCNS : Central nervous system

CO₂ : Carbon dioxide

CT : Computerized tomographyCVD : Cardiovascular diseaseDCL : Disturbed conscious level

DT : Delirium tremens ECG : Electrocardiography

ED : Emergency Department

ET : Endotrachial tube

FPM: First pass metabolism

GABA : Gamma-aminobutyric acid

GCS : Glascow coma scoreGI : Gasterointestinal

HCO₃ : Bicarbonate

HE : Hepatic encephalopathy

I.M : Intramuscular
I.V : Intravenous

ICU : Intensive Care Unit

K⁺ : Potassium

MRI : Magnetic resonance imaging

NA⁺ : Sodium

NAD : Nicotinamide adenine dinucleotide

NMDA : N-methyl-D-aspartatiNPO : Nothing by mouth

O₂ : Oxygen

PET : Positron emission tomography

PS : Permeability surface area

PSS: Poisoning severity score

STEMI: S-T elevation myocardial infarction

SVT : Supraventricular tachycardia
 WE : Wernick's encephalopathy
 WHO : World Health Organization

